Ronald Reagan Presidential Library Digital Library Collections

This is a PDF of a folder from our textual collections.

Collection: Turner, Carlton E: Files
Folder Title: Fact Sheets- College Students
Survey on Drug Use, 1980-1985
Box: 26

To see more digitized collections visit: https://reaganlibrary.gov/archives/digital-library

To see all Ronald Reagan Presidential Library inventories visit: https://reaganlibrary.gov/document-collection

Contact a reference archivist at: reagan.library@nara.gov

Citation Guidelines: https://reaganlibrary.gov/citing

National Archives Catalogue: https://catalog.archives.gov/

Issued by the Press Office of the National Institute on Drug Abuse 5600 Fishers Lane. Rockville, Maryland 20857 301/443-6245

COLLEGE STUDENTS SURVEY ON DRUG USE: 1980-1985

The following tables are part of the annual nationwide surveys conducted for the National Institute on Drug Abuse by the University of Michigan Institute for Social Research. It is a followup survey of drug use among college students who participated in previous high school surveys.

Trends in Annual Prevalence of Twelve Types of Drugs Among College Students 1-4 Years Beyond High School

	1980	1981	1982	1983	1984	1985	'84-'85 change
Approx. Wtd. N =	(1040)	(1130)	(1150)	(1170)	(1110)	(1080)-	· . ·
Marijuana	51.2	51.3	44.7	45.2	40.7	41.7	+1.0
LSD	6.1	4.6	6.3	4.2	3.7	2.2	-1.5s
Cocaine	16.9	15.9	17.2	17.2	16.4	17.3	+0.9
Heroin	0.4	0.2	0.1	0.0	0.1	0.2	+0.1
Other Opiates ^a	5.1	4.4	3.8	3.8	3.8	2.4	-1.4
Stimulants ^a Stimulants, Adjusted ^{a,b}	22.4 NA	22.2 NA	NA 21.1	NA 17.3	NA 15.8	NA 11.9	NA -3.9ss
Sedatives ^a	8.3	7.9	8.0	4.5	3.4	2.5	-0.9
Barbiturates ^a Methaqualone	2.9 7.2	2.8 6.5	3.2 6.6	2.2 3.1	1.9 2.5	1.3 1.4	-0.6 -1.1
Tranquilizers a	6.9	4.8	4.7	4.6	3.5	3.5	0.0
Alcohol	90.5	92.5	92.2	91.6	90.0	92.0	+2.0
Cigarettes	NA						

NOTES: Level of significance of difference between the two most recent years: s = .05, ss = .01, sss = .001.

NA indicates data not available.

(More)

C-86-6

July, 1986

^aOnly drug use which was not under a doctor's orders is included here.

^bAdjusted for the inappropriate reporting of non-prescription stimulants.

Trends in Thirty-Day Prevalence of Twelve Types of Drugs Among College Students 1-4 Years Beyond High School

	Percent who used in last 30 days						
	1980	1981	1982	1983	1984	1985	'84-'85 change
Approx. Wtd. N =	(1040)	(1130)	(1150)	(1170)	(1110)	(1080)	
Marijuana	34.0	33.2	26.8	26.2	23.0	23.6	+0.6
LSD	1.3	1.4	1.7	0.9	0.8	0.7	-0.1
Cocaine	6.9	7.3	7.9	6.4	7.6	6.9	-0.7
Heroin	0.3	0.0	. 0.0	0.0	0.0	0.0	0.0
Other Opiates ^a	1.8	1.1	1.0	. 1.1	. 1.4	0.7	-0.7
Stimulants ^a Stimulants, Adjusted ^{a,b}	13.4 NA	12.3 NA	NA 9.9	NA 7.0	· NA 5.5	NA 4.2	NA -1.3
Sedativesa	3.7	3.4	2.5	1.1	1.0	0.7	-0.3
Barbiturates ^a Methaqualone ^a	0.9 3.1	0.8 3.0	0.9	0.5	0.7	0.4	-0.3 -0.3
Tranquilizers a	2.0	1.4	1.4	1.1	1.2	1.4	+0.2
Alcohol	81.8	81.9	82.8	80.3	79.1	80.3	+ 1.2
Cigarettes	25.8	25.9	24.4	24.7	21.5	22.4	+0.9

NOTES: Level of significance of difference between the two most recent years: s = .05, ss = .01, sss = .001.

NA indicates data not available.

^aOnly drug use which was not under a doctor's orders is included here.

^bAdjusted for the inappropriate reporting of non-prescription stimulants.

Trends in Thirty-Day Prevalence of Daily Use of Twelve Types of Drugs
Among College Students-1-4 Years Beyond High School

	Percent who used daily in last 30 days						
	1980	1981	1982	1983	1984	1985	'84-'85 change
Approx. Wtd. N =	(1040)	(1130)	(1150)	(1170)	(1110)	(1080)	•
Marijuana	7.2	5.6	4.2	3.8	3.6	3.1	-0.5
LSD	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cocaine	0.2	0.0	0.3	0.1	0.4	0.1	-0.3
Heroin	0.0	0.0	0.0	0.0	0.0	.,0.0	0.0
Other Opiates ^a	0.0	0.1	0.0	0.1	0.1	0.0	-0.1
Stimulants Adjusted a,b	0.5 NA	0.4 NA	NA 0.3	NA 0.2	NA 0.2	NA 0.0	NA -0.2
Sedatives ^a	0.0	0.0	0.1	0.0	0.1	. 0.0	-0.1
Barbiturates ^a Methaqualone ^a	0.0	0.0	0.1	0.0	0.1	0.0	0.0
Tranquilizers ^a	0.0	0.0	0.1	0.0	0.1	0.0	-0.1
Alcohol	6.5	5.4	6.1	6.1	6.6	5.0	-1.6
Five or more drinks in a row in last two weeks	43.9	43.6	44.0	43.1	45.5	44.6	-0.9
Cigarettes	18.3	17.1	16.2	15.3	14.8	14.3	-0.5
Half pack or more per day in past 30 days	12.7	11.9	10.5	9.6	10.2	9.4	-0.8

NOTES: Level of significance of difference between the two most recent years: s = .05, ss = .01, sss = .001.

NA indicated data not available.

^aOnly drug use which was not under a doctor's orders is included here.

b Adjusted for the inappropriate reporting of non-prescription stimulants.

Issued by the Press Office of the National Institute on Drug Abuse 5600 Fishers Lane. Rockville, Maryland 20857 301/443-6245

COLLEGE STUDENTS SURVEY ON DRUG USE: 1980-1985

The following tables are part of the annual nationwide surveys conducted for the National Institute on Drug Abuse by the University of Michigan Institute for Social Research. It is a followup survey of drug use among college students who participated in previous high school surveys.

Trends in Annual Prevalence of Twelve Types of Drugs Among College Students 1-4 Years Beyond High School

	Percent who used in past 12 months						
	1980	1981	1982	1983	1984	1985	'84-'85 change
Approx. Wtd. N =	(1040)	(1130)	(1150)	(1170)	(1110)	(1080)	
Marijuana	51.2	51.3	44.7	45.2	40.7	41.7	+1.0
LSD	6.1	4.6	6.3	4.2	3.7	2.2	-1.5s
Cocaine	16.9	15.9	17.2	17.2	16.4	17.3	+0.9
Heroin	0.4	0.2	0.1	0.0	0.1	0.2	+0.1
Other Opiates ^a	5.1	4.4	3.8	3.8	3.8	2.4	-1.4
Stimulants ^a Stimulants, Adjusted ^{a,b}	22.4 NA	22.2 NA	NA 21.1	NA 17.3	NA 15.8	NA 11.9	NA -3.9ss
Sedatives ^a .	8.3	7.9	8.0	4.5	3.4	2.5	-0.9
Barbiturates ^a Methaqualone	2.9 7.2	2.8 6.5	3.2 6.6	2.2 3.1	1.9 2.5	1.3 1.4	-0.6 -1.1
Tranquilizers a	6.9	4.8	4.7	4.6	3.5	3.5	0.0
Alcohol	90.5	92.5	92.2	91.6	90.0	92.0	+2.0
Cigarettes	NA	NA	NA	NA	NA	NA	NA

NOTES: Level of significance of difference between the two most recent years: s = .05, ss = .01, sss = .001.

NA indicates data not available.

(More)

C-86-6

July, 1986

^aOnly drug use which was not under a doctor's orders is included here.

b Adjusted for the inappropriate reporting of non-prescription stimulants.

Trends in Thirty-Day Prevalence of Twelve Types of Drugs Among College Students 1-4 Years Beyond High School

	Percènt who used in last 30 days						
	1980	1981	1982	1983	1984	1985	'84-'85 change
Approx. Wtd. N =	(1040)	(1130)	(1150)	(1170)	(1110)	(1080)	
Marijuana	34.0	33.2	26.8	26.2	23.0	23.6	+0.6
LSD	1.3	1.4	1.7	0.9	0.8	0.7	-0.1
Cocaine	6.9	7.3	7.9	6.4	7.6	6.9	-0.7
Heroin	0.3	0.0	. 0.0	0.0	. 0.0	0.0	0.0
Other Opiates ^a	1.8	1.1	1.0	. 1.1	. 1.4	0.7	-0.7
Stimulants ^a Stimulants, Adjusted ^{a,b}	13.4 NA	12.3 NA	NA 9.9	NA 7.0	· NA 5.5	NA 4.2	NA -1.3
Sedativesa	3.7	3.4	2.5	1.1	1.0	0.7	-0.3
Barbiturates ^a Methaqualone ^a	0.9 3.1	0.8 3.0	0.9	0.5	0.7	0.4	-0.3 -0.3
Tranquilizers a	2.0	1.4	1.4	1.1	1.2	1.4	+0.2
Alcohol	81.8	81.9.	82.8	80.3	79.1	80.3	+1.2
Cigarettes	25.8	25.9	24.4	24.7	21.5	22.4	+0.9

NOTES: Level of significance of difference between the two most recent years: s = .05, ss = .01, sss = .001.

NA indicates data not available.

^aOnly drug use which was not under a doctor's orders is included here.

b Adjusted for the inappropriate reporting of non-prescription stimulants.

Trends in Thirty-Day Prevalence of Daily Use of Twelve Types of Drugs
Among College Students-1-4 Years Beyond High School

	Percent who used daily in last 30 days						
	1980	1981	1982	1983	1984	1985	'84-'85 change
Approx. Wtd. N =	(1040)	(1130)	(1150)	(1170)	(1110)	(1080)	•
Marijuana	7.2	5.6	4.2	3.8	3.6	3.1	-0.5
LSD	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cocaine	0.2	0.0	0.3	0.1	0.4	0.1	-0.3
Heroin	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Other Opiates ^a	0.0	0.1	0.0	0.1	0.1	0.0	-0.1
Stimulants ^a Stimulants, Adjusted ^{a,b}	0.5 NA	0.4 NA	NA 0.3	NA 0.2	NA 0.2	NA 0.0	NA -0.2
Sedatives ^a	0.0	0.0	0.1	0.0	0.1	. 0.0	-0.1
Barbiturates ^a Methaqualone ^a	0.0	0.0	0.1	0.0	0.1	0.0	0.0
Tranquilizers ^a	0.0	0.0	0.1	0.0	0.1	0.0	-0.1
Alcohol	6.5	5.4	6.1	6.1	6.6	5.0	-1.6
Five or more drinks in a row in last two weeks	43.9	43.6	44.0	43.1	45.5	44.6	-0.9
Cigarettes	18.3	17.1	16.2	15.3	14.8	14.3	-0.5
Half pack or more per day in past 30 days	12.7	11.9	10.5	9.6	10.2	9.4	-0.8

NOTES: Level of significance of difference between the two most recent years: s=.05, ss=.01, sss=.001. NA indicated data not available.

^aOnly drug use which was not under a doctor's orders is included here.

 $^{^{\}mathrm{b}}$ Adjusted for the inappropriate reporting of non-prescription stimulants.